

HEE DINING

DESIGN BY HEE WELLING



The philosophy behind the Hee Series was to take an archetypal chair and perfect it down to the last detail while cutting the essentials to the bone.

The goal was to create a contemporary chair to fit into a wide range of contexts. The attempt was a great success, resulting in the pragmatic and easily decoded Hee series. Like a line drawing, it wraps metres of metal wire into neat, straight lines in three versions: bar stool, lounge chair and dining chair. Stackable and weatherproof, the wide assortment of colours and designs make Hee suitable for numerous indoor and outdoor contexts, such as bars and restaurants, as well as public spaces and home environments.

PRODUCT DETAILS

- / Part of a multifunctional family of chairs, lounges and stools in a variability of colours.
- / The Hee collection features a weatherproof outdoor powder coating.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.
- / The chairs can be linked together in rows for conference use, and the colour range.
- / Stackable up to 16 pcs.

HAY

MATERIAL

11 mm powder coated solid steel bar.


COLOUR & FINISH

Please note that the colour codes are indicative.

COLOURS / Available in 7 different colours.

- / Asphalt grey powder steel (RAL 7043)
- / Beige powder coated steel (NCS S 3502 Y)
- / Black powder coated steel (RAL 9005)
- / Fall green powder coated steel (NCS S 5010 G10Y)
- / Racing green powder coated steel (RAL 6012)
- / Rust powder coated steel (NCS S 4550 Y80R)
- / White powder coated steel (RAL 9003)


COLOURS



ASPHALT
GREY



BEIGE



BLACK




FALL
GREEN



RACING
GREEN



RUST




WHITE

CONSTRUCTION

Solid steel bar chair in 11 mm welded wire featuring an outdoor powder coating. Comes with pre-mounted gliders.

DIMENSIONS

/ WIDTH 47,5 cm / 18.7"
/ DEPTH 50 cm / 19.69"
/ HEIGHT 79 cm / 31.1"
/ SEAT HEIGHT 47 cm / 18.5"
/ SEAT DEPTH 40 cm / 15.75"



GLIDERS

PLASTIC GLIDER (STANDARD ON ALL) / Suitable for most floor types which are not too sensitive.

OPTIONS

Floor linking connector.

TESTS

EN 1728 domestic UK

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care- and maintenance instructions and test certificates are available at hay.com.

HAY