


BELL

EU Version



normann
COPENHAGEN

Bell Lamp X-Small - EU Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

220-240V

MAX LOAD

60 W

FREQUENCY

50/60 Hz

IP RATING

IP20

CLASSIFICATION

Class II

SOCKET

G9

LIGHT SOURCE - RECOMMENDED

G9 EU

Power: 8W

CCT: 2700 K

Output: 800 lm


Life Span: 15 000 h

CRI: ~ 80

GENERAL STANDARD & CERTIFICATES

EN 60598-2-1:1997

IEC 60598-1: 2008



COLOR



White



Grey




Black



Sand

Bell Lamp Small - EU Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

220-240V

MAX LOAD

60 W

FREQUENCY

50/60Hz

IP RATING

IP20

CLASSIFICATION

Class II

SOCKET

E27

LIGHT SOURCE - RECOMMENDED

Art. No.: 504052, LED E27 EU, not dimmable

Power: 8W

CCT: 2700 K

Output: 800 lm


Life Span: 15 000 h

CRI: ~ 80

GENERAL STANDARD & CERTIFICATES

EN 60598-2-1:1997

IEC 60598-1: 2008



COLOR



White



Grey




Black



Sand

Bell Lamp Medium - EU Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

220-240V

MAX LOAD

60 W

FREQUENCY

50/60Hz

IP RATING

IP20

CLASSIFICATION

Class II

SOCKET

E27

LIGHT SOURCE - RECOMMENDED

Art. No.: 504052, LED E27 EU, not dimmable

Power: 8W

CCT: 2700 K

Output: 800 lm


Life Span: 15 000 h

CRI: ~ 80

GENERAL STANDARD & CERTIFICATES

EN 60598-2-1:1997

IEC 60598-1: 2008



COLOR



White



Grey




Black



Sand

Bell Lamp Large - EU Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

220-240 V

MAX LOAD

60 W

FREQUENCY

50/60 Hz

IP RATING

IP20

CLASSIFICATION

Class II

SOCKET

E27

LIGHT SOURCE - RECOMMENDED

Art. No.: 504052, LED E27 EU, not dimmable

Power: 8W

CCT: 2700 K

Output: 800 lm


Life Span: 15 000 h

CRI: ~ 80

GENERAL STANDARD & CERTIFICATES

EN 60598-2-1:1997

IEC 60598-1: 2008



COLOR



White



Grey



Black



Sand

BELL

US Version



normann
C O P E N H A G E N

Bell Lamp X-Small - US Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

120 V

MAX LOAD

60 W

FREQUENCY

60 Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

G9

LIGHT SOURCE - RECOMMENDED

G9 US


Power: 8W

CCT: 2700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80



COLOR



White



Grey




Black



Sand

Bell Lamp Small - US Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

120 V

MAX LOAD

60 W

FREQUENCY

60 Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

E26

LIGHT SOURCE - RECOMMENDED

Art. No.: 504062, LED E26 US, not dimmable


Power: 8W

CCT: 2700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80



COLOR



White



Grey




Black



Sand

Bell Lamp Medium - US Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

120 V

MAX LOAD

60 W

FREQUENCY

60 Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

E26

LIGHT SOURCE - RECOMMENDED

Art. No.: 504062, LED E26 US, not dimmable


Power: 8W

CCT: 2700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80



COLOR



White



Grey




Black



Sand

Bell Lamp Large - US Version



DESCRIPTION

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

DESIGN

Andreas Lund & Jacob Rudbeck, 2012

MATERIAL

Powder Coated Aluminum

CONSTRUCTION

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and others degreasing detergents.

CORD

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

CANOPY

Included, black or white color, H: 7,7 x Ø: 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE

120 V

MAX LOAD

60 W

FREQUENCY

60 Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

E26

LIGHT SOURCE - RECOMMENDED

Art. No.: 504063, LED E26 US, not dimmable


Power: 8W

CCT: 2700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80



COLOR



White



Grey



Black



Sand